

경영시스템인증서

한국주철관공업(주)

부산광역시 사하구 을숙도대로 525



한국표준협회는 위 조직의 품질경영시스템이
아래의 표준과 인증범위에 적합함을 인증합니다.

인증번호 QMS-1260

표 준 KS Q ISO 9001:2015/ISO 9001:2015

인증범위 부속서 참조

유효기간 2024년 09월 30일부터 2027년 09월 29일까지

최초인증일 : 1997년 09월 30일

2024년 09월 06일

KSA



(KAB-QC-30)



한국표준협회장

서울시 강남구 테헤란로 69길 5



한국표준협회는 한국인증지원센터(KAB)로부터 품질경영체제
인증기관으로 인정(인정번호 : KAB-QC-30)받았습니다.

부속서

이 부속서는 하기 사업장의 인증범위를 나타냅니다.

인증번호 : QMS-1260

한국주철관공업(주)



1. 회주철품 및 구상흑연 주철품의 생산
2. 덕타일 주철관, 덕타일 주철 이형관, 덕타일 주철 특수이형관, 덕타일 주철 압륜 및 덕타일 주철 볼트·너트(호칭경 : 80~1200mm)
3. 수도용 제수밸브(호칭경 : 500mm이하), 수도용 버터플라이밸브(호칭경 : 1500mm이하), 상하수도 전기, 통신용 맨홀뚜껑, 소화전 및 일반주물품(자동차, 건축용 및 기계용)
4. 덕타일 주철관, 덕타일 주철 이형관 및 덕타일 주철 특수 이형관의 내진·이탈방지형 조인트(호칭경 : 80~1200mm)
5. 덕타일 주철관, 덕타일 주철 이형관 및 덕타일 주철 특수 이형관의 내면 모르타르 라이닝(호칭경 : 80~1200mm)
6. 덕타일 주철관, 덕타일 주철 이형관 및 덕타일 주철 특수 이형관의 내면 에폭시 수지 분체 도장(호칭경 : 80~1200mm)
7. 덕타일 주철관의 외면 역청질계 도장, 합성수지 도장 및 금속아연 용사(호칭경 : 80~1200mm)
8. 덕타일 주철 이형관, 덕타일 주철 특수 이형관의 외면 역청질계 도장, 합성수지 도장 및 징크리치 도장(호칭경 : 80~1200mm)

2024년 09월 06일

CERTIFICATE OF APPROVAL

KOREA CAST IRON PIPE IND. Co., Ltd.

525, EULSUKDO-DAERO, SAHA-GU, BUSAN, KOREA

Korean Standards Association hereby certifies that the Quality Management System of the above organization has been assessed and found to meet the requirements of the standard and scope of certification detailed below:

CERTIFICATION No. QMS-1260

STANDARD KS Q ISO 9001:2015/ISO 9001:2015

SCOPE OF CERTIFICATION

SITE:Refer to the Appendix

VALID FROM 30 September, 2024

VALID TO 29 September, 2027

Original Certification Date : 30 September, 1997

Date of Issue : 06 September, 2024



PRESIDENT OF KSA

KOREAN STANDARDS ASSOCIATION

KSA



(KAB-QC-30)



5, Teheran-ro 69-gil, Gangnam-Gu, Seoul, Korea

KSA has been accredited by Korea Accreditation Board(KAB)
as an ISO 9001 Certification body.(Accreditation Number : KAB-QC-30)

APPENDIX

THIS APPENDIX SPECIFIES THE SCOPE OF CERTIFICATION GRANTED TO :

CERTIFICATION No : QMS-1260

**KOREA CAST IRON PIPE IND. Co.,
Ltd.**



1. PRODUCTION OF GRAY IRON CASTINGS AND SPHEROIDAL GRAPHITE IRON CASTING
 - 2 .DUCTILE CAST IRON PIPES, DUCTILE CAST IRON FITTINGS, DUCTILE CAST IRON SPECIAL FITTINGS, DUCTILE CAST IRON GLANDS AND DUCTILE CAST IRON BOLTS• NUTS(DN:80~1200mm)
 3. SLUICE VALVES(DN:UNDER 500mm) FOR WATER WORKS, BUTTERFLY VALVES(DN:UNDER 1500mm) FOR WATER WORKS, MANHOLE COVERS, HYDRANTS AND GENERAL CASTING FOR AUTOMOBILE, CONSTRUCTION & MACHINE
 4. EARTHQUAKE RESISTANCE & RESTRAINED JOINT SYSTEM FOR DUCTILE CAST IRON PIPES, DUCTILE CAST IRON FITTINGS AND DUCTILE CAST IRON SPECIAL FITTINGS(DN:80~1200mm)
 5. MORTAR LINED DUCTILE CAST IRON PIPES, DUCTILE CAST IRON FITTINGS AND DUCTILE CAST IRON SPECIAL FITTINGS(DN:80~1200mm)
 6. EPOXY-POWDER COATED DUCTILE CAST IRON PIPES, DUCTILE CAST IRON FITTINGS AND DUCTILE CAST IRON SPECIAL FITTINGS(DN:80~1200mm)
 7. DUCTILE CAST IRON PIPES - EXTERNAL ASPHALTIC COATING, SYNTHETIC RESIN COATING AND METALLIC ZINC WITH FINISHING LAYER(DN:80~1200mm)
 - 8 .DUCTILE CAST IRON FITTINGS AND DUCTILE CAST IRON SPECIAL FITTINGS - EXTERNAL ASPHALTIC COATING, SYNTHETIC RESIN COATING AND ZINC RICH PAINT WITH FINISHING LAYER(DN:80~1200mm)
-

06 September , 2024